

Gazette

No. TC20/07, Wednesday, 19 February 2020 Published by the Commonwealth of Australia **TARIFF CONCESSIONS**

CONTENTS

TCO Applications	2
TCO Applications Refused	6
TCOs Made	7
Intention to Revoke TCOs not used in over 2 years	12
Customs Initiated - Intention to Revoke Cancelled	15
TCOs Revoked - Unused for over 2 years	16

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at:

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

Contact details:

General Email Inquiries: tarcon@abf.gov.au
General Inquiries: (02) 6229 3567
TAPIN help desk: (02) 6275 6534

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

Objections to the making of TCO submission forms are available at

Contact: Email tarcon@abf.gov.au

7306.30.00	ROLLER TUBES, galvanised steel, round, having ALL of the		
	<pre>following: (a) one OR more keyways; (b) keyway height NOT less than 7.5 mm and NOT greater</pre>	- TC 2011709	50
	Applicant: HELIOSCREEN AUSTRALIA PTY LTD		5%
7326.90.90	CONNECTORS, SOCKETS AND/OR DOWELS, CONCRETE TUNNEL SEGMENT Op. 17.01.20	- TC 2010802	50
	Stated Use: For joining tunnel segments together		
	Applicant: OPTIMAS OE SOLUTIONS		5%
8412.21.00	HYDRAULIC CYLINDERS, HYDRO POWER STATION PLANT, linear actuation, having ALL of the following: (a) cylinder length NOT less than 1 m; (b) stroke length NOT less than 900 mm and NOT greater than 8 m; (c) outside diameter NOT less than 300 mm and NOT greater than 1 400 mm; (d) operating pressure NOT less than 2 bar and NOT greater than 300 bar	mg 0013505	50
	Op. 23.01.20 Stated Use: To operate both valves and gates at a hydro-electric plant	- TC 2013525	
	Applicant: HYDRO-ELECTRIC CORPORATION		5%

	of Goods including the ff Classification	Schedule 4 Item Number General Duty Rate
8413.91.90	PARTS, INJECTION PUMPS, being ANY of the following: (a) housings; (b) valves; (c) piston rods; (d) injection stems; (e) o-ring seats Op. 17.01.20	- TC 2010774
	Stated Use: Spare parts for the service of dosatron proprietary liquid injection pumps	
	Applicant: BRACTON INDUSTRIES (NSW) PTY LTD	5%
8425.49.00	LIFTING AND/OR LEVELLING SYSTEM, CONTAINER AND/OR SHELTER, including ALL of the following: (a) two OR more jacks AND/OR supports having locking devices; (b) system carrying capacity NOT less than 8 tons; (c) feet AND/OR base plates, whether OR not detachable; (d) maximum lifting height NOT less than 299 mm Op. 23.01.20	- TC 2013533
	Stated Use: For the lifting of shelters and shipping containers, which have ISO corners, and supporting them on a level plain during the unloading of vehicles	
	Applicant: DARONMONT TECHNOLOGIES PTY LTD	5%
8428.90.00	CONCRETE PRODUCT BYPASS TRANSFER LINE, programmable logic controlled, having all of the following: (a) infeed AND outfeed belt conveyors; (b) layer pushers with transfer tables; (c) electrical controls	50
	Op. 21.01.20	- TC 2011715
	Stated Use: For the equidistant spacing and transfer of concrete products	
	Applicant: BRICKWORKS BUILDING PRODUCTS PTY LTD	5%

_	of Goods including the ff Classification		Item Number Duty Rate
8467.29.00	SCREWDRIVERS, battery powered, with OR without ANY of the following: (a) auto-feeding attachment; (b) batteries; (c) battery chargers; (d) belt clip; (e) bits; (f) carry bag AND/OR case; (g) hook; (h) magnetic connecting bit; (i) protectors; (j) torque adjusting tool; (k) USB cable Op. 20.01.20 Stated Use: For driving screws in assembly lines and workshops	- TC 2011695	50
	Applicant: MAKITA (AUSTRALIA) PTY LTD		5%
8474.90.00	PARTS, CEMENT GRINDING MILL, being diaphragms Op. 23.01.20 Stated Use: For allowing slurries to pass through a ball mill during the production of cement	- TC 2013522	50
	Applicant: BORAL CEMENT LTD		5%
8479.89.90	PHARMACEUTICAL STORAGE AND DISPENSING SYSTEM, programmable logic controlled, whether OR not assembled, including ALL of the following: (a) storage racks AND/OR containers AND/OR shelves; (b) pickers; (c) barcode reader; (d) control panel AND/OR interface; (e) conveyors AND/OR chutes; (f) input system, including BOTH of the following: (i) stock recording AND/OR measurement; (ii) sensors AND/OR scanners Op. 15.01.20	- TC 2008859	50
	op. 13.01.20	- 10 2000039	
	Stated Use: For storing and dispensing pharmaceutical products in a hospital		
	Applicant: BECTON DICKINSON PTY LTD		5%

	of Goods including the ff Classification	Schedule 4 It General D	
8480.79.00	<pre>MOULDS, INJECTION AND BLOW, multi cavity, including ALL of the following: (a) injection station including ALL of the following: (i) injection cores; (ii) injection cavities; (iii) lip cavities; (iv) hot runner, (b) preform conditioning station including ALL of the following: (i) conditioning cores; (ii) conditioning pots; (iii) lip cavities, (c) blow station including ALL of the following: (i) blow cavities; (ii) base cores; (iii) blow cores; (iv) lip cavities, (d) eject station including BOTH of the following: (i) ejector rods; (ii) plates</pre>		50
	Op. 17.01.20	- TC 2010792	
	Stated Use: The mould tool creates plastic bottles from preforms		
	Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD		5%
8701.91.90	ROBOTS, MULTI-SERVICE, PUBLIC SPACE, mobile, battery powered, laser-guided, programmable logic controlled, having a carrying capacity NOT greater than 500 kg, with OR without one OR both of the following: (a) docking station;		50
	(b) batteries Op. 23.01.20	- TC 2013529	
	Stated Use: Automated mobile robot operating in public spaces such as hospitals, hotels and high-rise buildings		
	Applicant: THE LAMSON GROUP PTY LTD		5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

The application for the Tariff Concession Order for the goods described in the following TABLE has been

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

50

4010.12.00 BELTS, TEXTILE REINFORCED, having ALL of the following:

- (a) tensile strength NOT less than 1 200 N/mm;
- (b) width NOT less than 1 600 mm;
- (c) weight NOT less than 33 kg/m;
- (d) thickness NOT less than 16 mm;
- (e) length NOT exceeding 125 m;
- (f) NOT less than two and NOT greater than five cross-stabilised textile plies;
- (g) top cover thickness NOT less than 4 mm;
- (h) sidewall height NOT less than 400 $\ensuremath{\text{mm}}$

Op. 27.09.19

- TC 19286255

Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Fenner Dunlop Australia Pty Ltd, West Footscray,

Vic.

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

_	of Goods including the ff Classification		Schedule 4 : Last Date	
3214.10.00	UNMIXED RESIN KITS, consisting of (a) polyurethane resin base AND (b) silica sand filler, with OR without mixing implement	isocyanate hardener;		50
	mixing gloves Op. 15.11.19	Dec. date 12.02.20	- TC 19317176	
3214.10.00	UNMIXED RESIN KITS, consisting of (a) polyurethane resin base; (b) isocyanate hardener, with OR without mixing gloves			50
	Op. 15.11.19	Dec. date 12.02.20	- TC 19317182	
5205.32.00	YARN, COTTON, 3 ply, spool mounte length	d, NOT greater than 8 000 m in		50
	Op. 09.12.19	Dec. date 17.02.20	- TC 19331268	
5205.32.00	YARN, COTTON, 3 ply, random wound	, spool mounted, NOT greater		50
	than 20 000 m in length Op. 09.12.19	Dec. date 17.02.20	- TC 19331283	
5911.90.90	PRESSURE SEGMENT BELTS, with OR w Op. 05.12.19	rithout felt cross-strips Dec. date 17.02.20	- TC 19329703	50
7318.15.00	SCREW ANCHORS, CONCRETE AND/OR MF following: (a) zinc flake coated steel; (b) zinc plated steel; (c) stainless steel; (d) high corrosion resistant st Op. 26.11.19	· ·	- TC 19323344	50
7322.90.00	STEAM HEATERS, FRENCH FRY DRYER, (a) tubes; (b) fins; (c) manifolds; (d) maximum capacity exceeding (e) maximum capacity exceeding Op. 15.11.19	380 000 kcal/hour;	- TC 19317163	50
8417.80.00	INCINERATORS, having BOTH of the (a) total air volume NOT greate (b) maximum caloric reaction to 765 degrees Celsius Op. 21.11.19	er than 14 100 nm3/h;	- TC 19320294	50
0410 20 00			10 10000071	EO
8419.39.90	DRYERS, VACUUM DRUM, having ALL of (a) cast iron drums; (b) electrical drive units; (c) knife holder; (d) feed AND distribution pipes (e) steam AND condensate system (f) stainless steel vacuum enca Op. 09.12.19	;; 1;	- TC 19331657	50

Schedule 4 Item Number Last Date of Effect

8419.81.90	HEATERS AND/OR COOKERS AND/OR EMULSIFIERS, FOOD PROCESSING, having ALL of the following: (a) control system; (b) temperature gauge; (c) pressure transmitter; (d) servo motor; (e) gear motor; (f) tapered feed screw; (g) steam regulation system; (h) steam pressure AND/OR distribution valves Op. 22.11.19 Dec. date 13.02.20	- TC 19320950	50
8422.30.90	SELF ADHESIVE AND WET GLUE LABELLING MACHINES, programmable logic controlled, having ALL of the following: (a) container orientation device; (b) container handle lift device; (c) container reject station; (d) conveyors; (e) label magazine Op. 12.11.19 Dec. date 12.02.20	- TC 19314141	50
8425.42.00	BREAKDOWN RECOVERY MODULE, having ALL of the following: (a) underlift with lifting capacity NOT greater than 8 tonnes; (b) winches; (c) stowage lockers; (d) electrical AND electronic systems to complying with ALL of the following USA Military Standards: (i) MIL-STD-464 electromagnetic environmental effects (E3) requirements for system; (ii) MIL-STD 461 CE102 (conducted emissions); (iii) MIL-STD 461 RE102 (radiated emissions); (iv) MIL-STD 461 RS103 (radiated susceptibility) Op. 07.11.19 Dec. date 12.02.20	- TC 19311439	50
8425.42.00	BREAKDOWN RECOVERY MODULE, having ALL of the following: (a) crane AND underlift chassis; (b) 360 degree rotator crane lifting capacity NOT greater than 35 tonnes; (c) underlift lifting capacity NOT greater than 15 tonnes; (d) maximum main winch load capacity exceeding 240 kN; (e) maximum boom winches load capacity exceeding 100 kN; (f) stowage lockers; (g) stabiliser legs; (h) electrical AND electronic systems complying with ALL of the following USA Military Standards: (i) MIL-STD-464 electromagnetic environmental effects (E3) requirements for system; (ii) MIL-STD 461 CE102 (conducted emissions); (iii) MIL-STD 461 RE102 (radiated emissions); (iv) MIL-STD 461 RS103 (radiated susceptibility) Op. 08.11.19	- TC 19311987	50
8426.11.00	LIFTING MACHINES, METAL SHEET PACK, having ALL of the following: (a) extension arms; (b) telescopic lifting drive; (c) lifting capacity NOT less than 19 tonnes; (d) metal sheet length holding capacity NOT greater than 7 m Op. 20.11.19 Dec. date 12.02.20	- TC 19320249	50
8428.90.00	ANODE BEAM RAISING FRAME, having ALL of the following: (a) NOT less than 40 anode assemblies per cell; (b) NOT greater than 10 minutes per raising cycle; (c) power supply voltage 400V AC; (d) hydraulic nut runners Op. 11.11.19 Dec. date 12.02.20	- TC 19313682	50

Schedule 4 Item Number Last Date of Effect

less than 2 500 bags per hour, including ALL of the following: (a) infeed ADN/OR Outleded Conveyors; (b) handling capacity NOT less than 1 500 kg and NOT greater than 2 000 kg; (c) bag orienting units; (d) layer compactors; (d) layer compactors; (e) pallet lifting systems; (f) pallet lifting systems; (g) pelt ADN/OR vollet ADN/OR chain conveyors; (h) pallet loading stations; (i) pallet magazines ADN feeders with forks; (j) motorised rollers; (i) centrol panels; (ii) validable resistors; (iii) validable resistors; (iii) validable resistors; (iii) electrical cables AND/OR connectors (p, 21.11.19 Dec. date 14.02.20 - TC 19320815 MAZE.90.00 PICKERS, LOADING AND UNLOADING, unassembled, programmable logic controlled, having ALL of the following; (a) maximum load capacity NOT greater than 60 metres per minute (d) maximum vertical speed NOT greater than 60 metres per minute (d) capacity; (iii) lighting (p, 29.11.19 Dec. date 17.02.20 - TC 19324825 MASS.10.90 PRUIT GRADING ANGCHINES, having BOTH of the following; (a) cameras; (b) lighting (p, 29.11.19 Dec. date 17.02.20 - TC 19326781 MASS.10.90 CROISSANT PRODUCTION LINE, programmable logic controlled, having (d) conveyors; (e) dough extruder; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) losping unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) losping unit; (f) rollers; (g) dough thickness reducers; (h) gauging station; (h) laminator (p, 19.11.19 Dec. date 13.02.20 - TC 19319321 MASS.10.90 DOUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (h) volumetric extruder AND blocking system, with OR without trays (p, 19.11.19 Dec. date 12.02.20 - TC 19319324					
PICKERS, LOADING AND UNLOADING, unassembled, programmable logic controlled, having ALL of the following: (a) maximum load capacity NOT greater than 565 kg; (b) geared motors; (c) maximum vertical speed NOT greater than 60 metres per minute Op. 27.11.19 Dec. date 17.02.20 - TC 19324271 GRABS, hydraulic, 360 degree rotation Op. 28.11.19 Dec. date 17.02.20 - TC 19324825 FRUIT GRADING MACHINES, having BOTH of the following: (a) cameras; (b) lighting Op. 29.11.19 Dec. date 17.02.20 - TC 19326781 CROISSANT PRODUCTION LINE, programmable logic controlled, having ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (i) apping unit; (i) water sprayer; (m) gauging station; (n) laminator Op. 19.11.19 Dec. date 13.02.20 - TC 19319321 POUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19.11.9 Dec. date 12.02.20 - TC 19319324 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without coolling AND conditioning tunnels OR guillotines	8428.90.00	less than 2 500 bags per hour, including (a) infeed AND/OR outfeed conveyors; (b) handling capacity NOT less than 1 greater than 2 000 kg; (c) bag orienting units; (d) layer compactors; (e) layer discharging station; (f) pallet lifting systems; (g) belt AND/OR roller AND/OR chain of the pallet loading stations; (i) pallet magazines AND feeders with (j) motorised rollers; (k) cardboard AND/OR plastic sheet feed (l) control panels with OR without ANY of the following: (i) metal safety guards AND/OR (ii) variable resistors; (iii) electrical cables AND/OR	ag ALL of the following: . 500 kg and NOT conveyors; a forks; edders; COR protective barriers;	- TC 19320815	50
controlled, having ALL of the following: (a) maximum load capacity NOT greater than 565 kg; (b) geared motors; (c) maximum vertical speed NOT greater than 60 metres per minute Op. 27.11.19 Dec. date 17.02.20 - TC 19324271 M431.41.00 GRABS, hydraulic, 360 degree rotation Op. 28.11.19 Dec. date 17.02.20 - TC 19324825 M433.60.00 FRUIT GRADING MACHINES, having BOTH of the following: (a) cameras; (b) lighting Op. 29.11.19 Dec. date 17.02.20 - TC 19326781 CROISSANT PRODUCTION LINE, programmable logic controlled, having ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (i) water sprayer; (m) gauging station; (n) laminator Op. 19.11.19 Dec. date 13.02.20 - TC 19319321 DOUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without could rays Op. 19.11.19 Dec. date 12.02.20 - TC 19319324 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without coulding AND conditioning tunnels OR guillotines	0.400 00 00	-		10 1/020010	5.0
Op. 28.11.19 Dec. date 17.02.20 - TC 19324825 2433.60.00 FRUIT GRADING MACHINES, having BOTH of the following: (a) cameras; (b) lighting Op. 29.11.19 Dec. date 17.02.20 - TC 19326781 2438.10.90 CROISSANT PRODUCTION LINE, programmable logic controlled, having ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (j) guilotine AND sutting knife; (k) folding unit; (l) water sprayer; (m) gauging station; (n) laminator Op. 19.11.19 Dec. date 13.02.20 - TC 19319321 2438.10.90 DOUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19.11.19 Dec. date 12.02.20 - TC 19319324 2438.20.00 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without cooling AND conditioning tunnels OR guillotines	0420.50.00	<pre>controlled, having ALL of the following (a) maximum load capacity NOT greater (b) geared motors; (c) maximum vertical speed NOT greate minute</pre>	than 565 kg; than 60 metres per	- TC 19324271	30
Op. 28.11.19 Dec. date 17.02.20 TC 19324825 FRUIT GRADING MACHINES, having BOTH of the following: (a) cameras; (b) lighting Op. 29.11.19 Dec. date 17.02.20 TC 19326781 CROISSANT PRODUCTION LINE, programmable logic controlled, having ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (j) guillotine AND cutting knife; (k) folding unit; (i) water sprayer; (m) gauging station; (n) laminator Op. 19.11.19 Dec. date 13.02.20 TC 19319321 3438.10.90 DOUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19.11.19 Dec. date 12.02.20 TC 19319324 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without cooling AND conditioning tunnels OR guillotines	8431.41.00	GRABS, hydraulic, 360 degree rotation			50
(a) cameras; (b) lighting Op. 29;11:19 Dec. date 17.02.20 - TC 19326781 438.10.90 CROISSANT PRODUCTION LINE, programmable logic controlled, having ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (j) guillotine AND cutting knife; (k) folding unit; (l) water sprayer; (m) gauging station; (n) laminator Op. 19;11:19 Dec. date 13.02.20 - TC 19319321 438.10.90 DOUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19:11:19 Dec. date 12.02.20 - TC 19319324 438.20.00 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without cooling AND conditioning tunnels OR guillotines			date 17.02.20	- TC 19324825	
Als.10.90 COUSSANT PRODUCTION LINE, programmable logic controlled, having ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (j) guillotine AND cutting knife; (k) folding unit; (l) water sprayer; (m) gauging station; (n) laminator Op. 19.11.19 Dec. date 13.02.20 - TC 19319321 DOUGH DEPOSITING AND FORMING MACHINE including BOTH of the following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19.11.19 Dec. date 12.02.20 - TC 19319324 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without cooling AND conditioning tunnels OR guillotines	8433.60.00	(a) cameras;(b) lighting		- TC 19326781	50
following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19.11.19 Dec. date 12.02.20 - TC 19319324 B438.20.00 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without cooling AND conditioning tunnels OR guillotines	8438.10.90	ALL of the following: (a) dough extruder; (b) dough sheeter; (c) flour sifter; (d) conveyors; (e) buffering unit; (f) rollers; (g) dough thickness reducers; (h) fat pump AND folding belt; (i) lapping unit; (j) guillotine AND cutting knife; (k) folding unit; (l) water sprayer; (m) gauging station; (n) laminator		- TC 19319321	50
following: (a) belt conveyor; (b) volumetric extruder AND blocking system, with OR without trays Op. 19.11.19 Dec. date 12.02.20 - TC 19319324 B438.20.00 LIQUORICE PRODUCTION LINES including ALL of the following: (a) extruders; (b) flow divider AND twist head; (c) control panels, with OR without cooling AND conditioning tunnels OR guillotines	0.420 10 00	-		10 17017021	5.0
(a) extruders;(b) flow divider AND twist head;(c) control panels,with OR without cooling AND conditioning tunnels OR guillotines	o438.1U.9U	<pre>following: (a) belt conveyor; (b) volumetric extruder AND blocking with OR without trays</pre>	system,	- TC 19319324	50
with OR without cooling AND conditioning tunnels OR guillotines	8438.20.00	(a) extruders;(b) flow divider AND twist head;	L of the following:		50
		with OR without cooling AND conditioning		- TC 19319400	

Description of Goods including the Customs Tariff Classification		Schedule 4 I Last Date		
8474.90.00	PARTS, VERTICAL STIRRED MEDIA GRE following: (a) shell liners; (b) mill shells; (c) grinding rotors; (d) grinding shafts with OR with (e) impellers Op. 22.11.19		- TC 19321218	50
8479.89.90	PAPER WRAPPING DISPENSERS, included (a) infeed conveyor; (b) outfeed hydraulic elevation (Op. 21.11.19	n conveyor table	- TC 19320251	50
8504.31.00	CURRENT TRANSFORMER MODULES, have exceeding 1 kVA, with OR without measurement outputs, having BOTH (a) current NOT greater than 69 (b) NOT greater than 4 poles Op. 22.11.19	voltage of the following:	- TC 19322390	50
8512.20.00	LAMPS, LED, 12 V, non-ceramic, ha (a) indicator OR turn signals; (b) daytime running lamp AND po Op. 10.12.19	-	- TC 19332236	50
8607.19.00	PARTS, RAIL MAINTENANCE VEHICLE, of the following: (a) gear; (b) wheels; (c) torque arm; (d) driven wheelset; (e) axle box; (f) double drive unit; (g) claw coupling Op. 25.11.19	being drive axles having ANY Dec. date 17.02.20	- TC 19322979	50
8704.90.10	DUMPERS, pedestrian operated, eleload capacity NOT greater than 1 Op. 29.11.19		- TC 19326783	50

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

8716.90.00	PARTS, DISC BRAKE CALIPER, TRAIL LESS THAN 7.5 T, being ANY of the			50
	(a) guide pin kits consisting N	_		
	following:			
	(i) bushes;			
	(ii) cylinder head scre	ws;		
	(iii) guide sleeve;			
	(iv) cap;			
	(v) seal repair kits;			
	(vi) grease;			
	(vii) guide pins;			
	<pre>(viii) guide bushes; (ix) bellow;</pre>			
	(ix) bellow, (x) ring;			
	(xi) o ring;			
	(xii) sealing cap,			
	(b) seal repair kits for guide	pins consisting NOT less than		
	three of the following:	<u> </u>		
	(i) sealing cap;			
	<pre>(ii) bellow;</pre>			
	(iii) o ring;			
	(iv) ring;			
	(v) plug;			
	(vi) grease,			
	<pre>(c) tappet kits consisting NOT following:</pre>	less than three of the		
	<pre>(i) tappet;</pre>			
	(ii) bellow;			
	(iii) holding clamp;			
	(iv) dirt seal,			
	(d) bellow with metal back plat	Dec. date 12.02.20	- TC 19316457	
	Op. 14.11.19	Dec. date 12.02.20	- 10 19310457	
9406.90.00	VAULTS, modular, including ALL of	the following:		50
	(a) panels having ALL of the fo	_		
	(i) high density compo	site concrete mix;		
	(ii) reinforced rods AN	D steel fibres;		
	(iii) galvanised frame,			
	(b) stainless steel AND concret	e door;		
	(c) combination lock mechanism			
	Op. 05.12.19	Dec. date 17.02.20	- TC 19330475	
9506.91.00	CROSS TRAINERS, programmable logi	c controlled, with OR		50
	without ANY of the following:			
	(a) wireless heart rate monitor(b) bottle holder;	,		
	(c) tablet holder			
	Op. 03.12.19	Dec. date 17.02.20	- TC 19327977	
	Op. 03.14.19	Dec. date 17.02.20	- IC 1932/9//	

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 19 March 2020, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 19 March 2020.

Interested parties are invited to provide, by close of business, Wednesday 18 March 2020, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

		THE TABLE		
Tariff Classification	Description		Concession Number	
3702.54.00	(a) film width 24 mm(b) transparent magn(c) perforation along	netic layer on film surface; ng one edge only; ions, 39 mm length x 30 mm maxim		
	Op. 19.03.96	Dec. date 21.06.96	- TC 9604767	
3917.40.00	a density of 0.952 g/o (a) bends having an 315 mm, with an (b) branches having 315 mm, with an degrees; (c) Y-branches having than 110 mm with (d) double branches more than 110 mm (e) four fold branch (f) bends having an 315 mm with an (g) closing caps having an than 160 mm; (h) inspection and of than 75 mm and I (i) expansion coupling more than 160 mm (k) insert couplings more than 160 mm (k) insert couplings more than 160 mm (l) concentric reductions and local couplings more than 160 mm (l) concentric reductions and local couplings more than 160 mm (l) concentric reductions and local couplings more than 160 mm	s having an O.D. NOT less than som; s having an O.D. NOT less than an; cers having an O.D. NOT less than on the series having an O.D. NOT less than are shaving an O.D. NOT less than	ng: DT more than d NOT more than d NOT more than d 88.5 and NOT more es; D mm and NOT degrees; 10 mm; DT more than 88.5 degrees; a and NOT more NOT less an 50 mm and 60 mm and NOT do mm and NOT an 63 mm and	
	Op. 17.11.95	Dec. date 17.04.96	- TC 9512668	
3924.10.00	INFUSERS, COFFEE, have (a) insulated jug; (b) inner shell of (c) filter	ing ALL of the following:		
	Op. 18.12.95	Dec. date 02.04.96	- TC 9600459	

3924.90.00 DOILIES OR COASTERS, round imitation lace - TC 9600623 Op. 21.12.95 Dec. date 19.06.96 5509.21.00 YARN, single ply, 100% polyester staple fibres, having flame retardants as an integral part of the fibres molecular structure Op. 05.12.95 Dec. date 25.03.96 - TC 9512893 FELTS, polyurethane coated polyester, having ALL of the following: 5603.14.00 (a) felt substrate of non woven polyester; (b) coating of polyurethane; (c) coating weight 400 gsm or greater; (d) thickness 315 microns as a flat layer; (e) finish, providing an impervious barrier, smooth planar surface free from any irregularities Op. 01.07.96 Dec. date 14.05.96 - TC 9601324 6305.33.90 BAGS, block bottomed end valve sack type, having ALL of the following characteristics: (a) composed of woven polypropylene with a polypropylene laminated liner on the inside OR outside surface; (b) a holding capacity in the range of 25 kg - 55 kg inclusive; (c) meeting vertical impact test standard AS2582 when dropped from a height of 1.6 m Op. 01.07.96 - TC 9604863 Dec. date 15.05.96 7222.20.00 RODS, stainless steel, to specification AWS.A5.9. R347, R316L, R309L or R308L Dec. date 01.03.96 Op. 20.11.95 - TC 9512758 BARS, stainless steel, forged to AISI 410 7222.30.00 Op. 23.02.96 Dec. date 31.05.96 7225.11 ${\tt ELECTRICAL}$ STEEL, sheet and strip, cold rolled, grain oriented, as defined in IEC 401-1, in coil OR sheet form, having a core loss of less than 1.5 W/kg in the long grain direction at flux density of 1.5 Tesla and frequency 50 Hz as determined by Test Methods to International Standard IEC 404-2 Op. 01.07.96 Dec. date 12.06.96 - TC 9604138 7307.99.00 CLOSURES, PRESSURISED PIPELINE, having ALL of the following: (a) a cap; (b) a welding hub, with an integrated semi-dovetailed O-Ring groove in the face; (c) capable of horizontal, vertical or angle installations - TC 9604891 Op. 22.03.96 Dec. date 28.06.96 8206.00.00 KITS, COMPUTER SERVICE, comprising ALL of the following: (a) zippered case; (b) plastic-leaded computer chip (PLCC) extractor; (c) wire cutters;(d) long nose pliers; (e) component tube; (f) 1/4 inch and 3/16 inch Hex driver bits (nominally 6.35 mm and 4.76 mm); (g) driver handle; (h) double-ended torque bit; (i) integrated circuit (IC) inserter (14 and 16 pin); (j) flat-head screwdrivers, 75 X 5 mm and 75 x 3 mm; (k) Philips head screwdrivers, size number 1 and 0; (1) insulated tweezers; (m) pearl catch; (n) IC extractor Dec. date 12.03.96 Op. 23.11.95 - TC 9512981 Op. 14.02.96

- TC 9603222

8428.39.00 CONVEYOR, DIFFERENTIAL, LINEAR, capacity greater than 4 000 kg/h Dec. date 03.05.96 Op. 29.01.96 - TC 9602280 PRESS FEEDERS, SHEET OR STRIP METAL, having ALL of the following: 8428.90.00 (a) roll feed; (b) programmable computer controls; (c) brushless servo motor; (d) servo motor controller Op. 06.11.95 Dec. date 09.02.96 - TC 9511729 8501.40.00 MOTORS, AC, reversible, single phase, rectangular housing, having ALL of the following: (a) torque NOT exceeding 3 Nm; (b) curtain operating speed of 15 cm/sec; (c) limit stop switch in turns of 950 + or - 5%; (d) rpm of 90; (e) voltage of 230 V; (f) frequency of 50 Hz; (g) power of either 115 W or 140 W; (h) current of either 0.53 A OR 0.62 A; (i) isolation class of F 155; (j) integrated capacitor; (k) IP 44 protection; (1) automatic endswitch; (m) microprocessor control; (n) limits protected against power failure; (o) fixed switch OR remote control operation; (p) housing configured to accept remote control receiver

Dec. date 27.06.96

CUSTOMS ACT 1901

CANCELLATION OF THE INTENTION TO REVOKE

The Request for revocation of the Tariff Concession Order for goods described in the following TABLE has been cancelled.

THE TABLE

Description of Goods including the
Customs Tariff Classification

Schedule 4 Item Number

Solution 1.20

BOLTING CLOTH, man-made fibre, multifilament, being ANY of the following:

(a) 196 x 196 meshes/inch;
(b) 128 x 124 meshes/inch;
(c) 110 x 106 meshes/inch;
(d) 78 x 83 meshes/inch;
(e) 70 x 70 meshes/inch
Op. 19.04.91

Dec. date 23.10.91

- TC 9103875

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC19/46 dated 27 November 2019.

Contact: Email tarcon@abf.gov.au

Description of Goods including the Customs Tariff Classification				Schedule 4 Last Date	Item Number of Effect
3204.17	PIGMENT RED 48:3 C.I. No. 15865:3, but preparations based thereon Op. 06.01.92 Dec.	-	- TC	9200881	50 23.12.19
	2 Years non use. In transit provisions	apply			
3204.17	PIGMENT RED 48:1 C.I. No. 15865:1, but preparations based thereon Op. 06.01.92 Dec.	NOT including date 06.04.92	- TC	9200883	50 23.12.19
	2 Years non use. In transit provisions	apply			
3204.19	DYES, photochromatic, capable of revers changes of temperature OR effect of ligon. 21.10.91 Dec.	_	- TC	9109287	50 23.12.19
	2 Years non use. In transit provisions	apply			
3701.10	FILM, orthochromatic, silver halide ser film only, having ALL of the following: (a) spectral sensitivity which in the 580 nm has peaks between 400 nm a 530 nm and 560 nm; (b) emulsion coated on one side only; (c) polyester base	e range 400 nm through and 450 nm, and between			50 23.12.19
	Op. 02.09.91 Dec.	date 07.01.92	- TC	9107906	
	2 Years non use. In transit provisions	apply			
3702.55	FILM, photographic, silver halide sensi Op. 26.08.91 Dec.	tised, colour reversal date 11.11.91	- TC	9107726	50 23.12.19
	2 Years non use. In transit provisions	apply			
3903.11	EXPANDABLE POLYSTYRENE, having BOTH of (a) bead diameter 0.18 mm to 0.5 mm (b) minimum expanded density of 35 kg Op. 21.05.92 Dec.	or - 5%;	- TC	9205060	50 23.12.19
	2 Years non use. In transit provisions	apply			
3911.90	POLYETHERIMIDE POLYMERS AND ALLOYS THEF transition temperature rating of greate Op. 14.11.91 Dec.		- TC	9109979	50 23.12.19
	2 Years non use. In transit provisions	apply			

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
3917.39	TUBING, steam OR electrically traced, being EITHER fluorinated ethylene-propylene OR perfluoroalkoxy, having ALL of the following: (a) wrapped with heat reflective foil; (b) glass fibre thermal insulation; (c) sheathed with extruded polyvinyl chloride; (d) OD NOT exceeding 25.4 mm		50 23.12.19	
	Op. 13.03.92 Dec. date 09.07.92 2 Years non use. In transit provisions apply	- TC 9203112		
3917.40	BELLOWS MEMBRANES, polytetrafluoroethylene Op. 01.01.88 Dec. date 25.02.92	- TC 9201452	50 23.12.19	
	2 Years non use. In transit provisions apply			
3920.10	HIGH MOLECULAR WEIGHT POLYETHYLENE SHEET, having ALL of the following: (a) wholly formed by continuous extrusion in its entirety; (b) textured with levant finish on one side; (c) minimum dimensions of 1 800 mm in width and 2 000 mm in length (machine direction) and 6 mm in thickness; (d) containing a minimum 2.5% carbon black and 0.4% ultra violet stabiliser-antioxydants Op. 10.04.92 Dec. date 06.08.92	- TC 9203862	50 23.12.19	
	2 Years non use. In transit provisions apply			
3924.10	TIMERS, food cooking, disposable, single use, heat activated Op. 16.08.90 Dec. date 31.05.91	- TC 9104151	50 23.12.19	
	2 Years non use. In transit provisions apply			
5211.49	TAPESTRY PANELS, jacquard machine woven, gobliens style, NOT more than 55 cm in width OR length, having a composition of NOT less than 80% cotton Op. 29.09.89 Dec. date 11.04.91	- TC 9100063	50 23.12.19	
2 Years non use. In transit provisions apply				
7325.99	CONTAINER CORNER CASTINGS, steel, in accordance with specification ISO 1161 Op. 04.03.92 Dec. date 03.07.92	- TC 9202801	50 23.12.19	
	2 Years non use. In transit provisions apply			
7604.29	RODS, aluminium master alloy, having a strontium content of 2% OR greater, but NOT exceeding 15%, and whether OR not containing titanium to a maximum of 5% and whether OR not containing boron to a maximum of 2% Op. 17.04.91 Dec. date 15.08.91	- TC 9103898	50 23.12.19	
	2 Years non use. In transit provisions apply			
8201.50	GRASS SHEARS, having BOTH of the following: (a) stainless steel OR teflon coated carbon steel blades; (b) blade adjustment allowing blades to swivel to three cutting planes Op. 15.04.91 Dec. date 27.02.92	- TC 9201382	50 23.12.19	
	•	- 10 9201382		
0.410, 20	2 Years non use. In transit provisions apply		F.0	
8418.30	FREEZERS, absorption, chest type, domestic, gross internal capacity exceeding 200 L, operated by LP gas only Op. 25.01.91 Dec. date 12.11.91	- TC 9101685	50 23.12.19	
	2 Years non use. In transit provisions apply			

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
8502.20	GENERATOR SETS, AC, with a rating exceeds spark ignition internal combustion pistor including generator sets imported with AN (a) engine cooling equipment; (b) exhaust silencing equipment, pipeworsteelwork; (c) electrical control panels OR switch governor and fuel control equipment Op. 19.03.92 Dec. dec.	n engine, but NOT NY of the following: ork or structural ngear except electronic	- TC 9203334	50 23.12.19
	2 Years non use. In transit provisions ap	ply		
8536.69	TERMINAL STRIPS, plug in type, for panel, 12 poles, having ALL of the following: (a) moulding made of natural polyamide (b) temperature limits: (i) short time 140 - 160 degrees (ii) continuous 80 - 100 degrees (iii) cold resistance minus 40 des (c) terminal body made of nickel plated clips made of stainless steel and statel yellow chromated; (d) centre to centre spacing in different 11.5 mm; (e) rated current in different models of (f) rated voltage 380 V to VDE 0110 ins Op. 26.03.91 Dec. december 12.5 mm;	es C; s C; egrees C; d brass with spring screws of zinc plated ent models of 8, 10 and of 6 A, 16 A and 25 A;	- TC 9103138	50 23.12.19
	2 Years non use. In transit provisions ap	ply		
8903.99	WATERCRAFT, ski type, sit on, two stroke pump propelled, two person carrying capac step through deck design Op. 12.09.91 Dec. dec.		- TC 9108153	50 23.12.19
	2 Years non use. In transit provisions ap	oply		