



**Commonwealth  
of Australia**

# Gazette

No. TC 19/46, Wednesday, 27 November 2019  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

|   |    |
|---|----|
| TCO Applications .....  | 2  |
| TCOs Made.....  | 5  |
| Local Manufacturer Initiated - TCOs Revoked .....               | 7  |
| Local Manufacturer Initiated - TCOs Revoked and Re-Issued ..... | 8  |
| Intention to Revoke TCOs not used in over 2 years.....          | 10 |
| TCOs Revoked - Unused for over 2 years .....                    | 13 |

**The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the link below at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

**Contact details:**

|                               |  |
|-------------------------------|--|
| General Email Inquiries:..... | <a href="mailto:tarcon@abf.gov.au">tarcon@abf.gov.au</a> |
| General Inquiries:            | (02) 6229 3567   |
| TAPIN help desk:              | (02) 6275 6534   |

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification   | Schedule 4 Item Number<br>General Duty Rate |
|---|---|
| 3214.90.00 COATING, TIMBER, intumescent<br>Op. 25.10.19   | 50<br>- TC 19303324                         |
| Stated Use:<br>To upgrade the fire rating of new and existing interior timber<br>surfaces to a Group 1 Surface rating   | 5%  |
| Applicant: FPC LIMITED  |   |
| 7007.29.00 GLASS, LAMINATED, having ALL the following:<br>(a) outer sheet NOT greater than 8 mm;<br>(b) mesh centre sheet being 6010 grade aluminium;<br>(c) polyvinyl butyral (PVB) interlayer<br>Op. 23.10.19   | 50<br>- TC 19301936                         |
| Stated Use:<br>For internal and external use on commercial buildings  |   |
| Applicant: PERMASTEELISA PTY.LTD  | 5%  |
| 8413.50.90 PUMPING SYSTEM, OIL AND/OR GAS, EXPLORATION AND/OR PRODUCTION,<br>skid mounted, with OR without fuel tanks, including ALL of the<br>following:<br>(a) engine;<br>(b) transmission;<br>(c) reciprocating pump;<br>(d) remote control panel;<br>(e) radiator<br>Op. 04.11.19 | 50<br>- TC 19308981                         |
| Stated Use:<br>To pump fracturing fluids to the well at high pressure and rate  |   |
| Applicant: SCHLUMBERGER AUSTRALIA PTY LTD   | 5%  |

| Description of Goods including the<br>Customs Tariff Classification   | Schedule 4 Item Number<br>General Duty Rate |
|---|---|
| <p>8419.89.90 CURING PLANT, single atmosphere, having ALL of the following:<br/>           (a) air heater AND circulator including ALL of the following:<br/>               (i) burner;<br/>               (ii) heat exchanger;<br/>               (iii) combustion chamber,<br/>           (b) humidity AND fog control;<br/>           (c) exhaust ventilator;<br/>           (d) air circulator;<br/>           (e) exhaust shrouds;<br/>           (f) pallet racking with adjustable outlets<br/>           Op. 08.11.19</p> <p>Stated Use:<br/>Curing of concrete blocks, pavers and tiles</p> <p>Applicant: BRICKWORKS BUILDING PRODUCTS PTY LTD</p> | <p>50</p> <p>- TC 19311652</p> <p>5%</p>    |
| <p>8421.19.00 PEELER CENTRIFUGES, vertical, having BOTH of the following:<br/>           (a) slurry feed volume NOT less than 0.150 m<sup>3</sup>/hr and NOT<br/>               greater than 3 m<sup>3</sup>/hr;<br/>           (b) peeler bowl depth NOT less than 650 mm and NOT greater<br/>               than 750 mm<br/>           Op. 15.11.19</p> <p>Stated Use:<br/>Separate solids from lithium hydroxide slurry</p> <p>Applicant: ALBEMARLE LITHIUM PTY LTD</p>  | <p>50</p> <p>- TC 19317184</p> <p>5%</p>    |
| <p>8428.39.00 SCRAPING CONVEYORS, GLASS CULLET, including ALL of the following:<br/>           (a) steel plate trough;<br/>           (b) parallel guided conveyor chains;<br/>           (c) scraper irons<br/>           with OR without hot gob falling tubes<br/>           Op. 13.11.19</p> <p>Stated Use:<br/>Cooling of feeder glass and hot bottles prior to recycling</p> <p>Applicant: ORORA LIMITED</p>  | <p>50</p> <p>- TC 19314761</p> <p>5%</p>    |
| <p>8428.90.00 DUMPERS, stand on OR walk behind, having ALL of the following:<br/>           (a) tracks;<br/>           (b) machine width NOT greater than 750 mm;<br/>           (c) high tipping bucket, having a hinge point NOT greater than<br/>               1 430 mm from the ground<br/>           Op. 08.11.19</p> <p>Stated Use:<br/>Loading and unloading materials with easy tipping<br/>           bucket on small work sites and construction sites</p> <p>Applicant: MAKINEX PTY LTD</p>   | <p>50</p> <p>- TC 19312650</p> <p>5%</p>    |
| <p>8428.90.00 LIFTING MACHINES, METAL SHEET PACK, having ALL of the following:<br/>           (a) extension arms;<br/>           (b) telescopic lifting drive;<br/>           (c) maximum lifting capacity exceeding 19 t;<br/>           (d) sheet length holding capacity exceeding 5 m<br/>           Op. 12.11.19</p> <p>Stated Use:<br/>Lifting and movement of steel sheets in packs</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>  | <p>50</p> <p>- TC 19314433</p> <p>5%</p>    |

---

| Description of Goods including the<br>Customs Tariff Classification  | Schedule 4 Item Number<br>General Duty Rate |
|--|---|
| 8501.53.00 TRACTION MOTORS, DIESEL AND ELECTRIC DUMP TRUCK, three-phase AC<br>induction, having an output exceeding 3 000 kW<br>Op. 12.11.19 | 50  |
| Stated Use:<br>Wheel motors for diesel electric dump trucks  | - TC 19313684                               |
| Applicant: COMPONENTS ONLY PTY LTD   | 5%  |

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification  | Schedule 4 Item Number<br>Last Date of Effect |
|--|---|
| 3917.22.00 PIPES, having ALL of the following:<br>(a) polypropylene middle AND outer layer;<br>(b) calcium carbonate filler inner;<br>with OR without sockets AND/OR plain ends<br>Op. 19.07.19 Dec. date 25.11.19   | 50<br><br>- TC 19234922                       |
| 4202.92.90 CASES, PORTABLE COFFEE MAKER, having ALL of the following:<br>(a) moulded body with ethylene-vinyl acetate covering;<br>(b) fabric lining;<br>(c) attachment loop;<br>(d) zippered closure<br>Op. 23.09.19 Dec. date 25.11.19   | 50<br><br>- TC 19282172                       |
| 7308.30.00 DOORS, sectional, including ALL of the following:<br>(a) polyurethane foam insulating core;<br>(b) galvanised steel sheet outer faces;<br>(c) perimeter gaskets;<br>(d) class 6 air permeability complying with European Standard<br>EN 13241-1:+A1 (EN 13241-1:+A1)<br>Op. 09.09.19 Dec. date 25.11.19   | 50<br><br>- TC 19283509                       |
| 7309.00.00 COARSE-MIX AGGREGATE BINS, SILO BLOCK, multi cell, having ALL of<br>the following:<br>(a) steel hoppers;<br>(b) steel checker plate mesh decking;<br>(c) horizontal AND longitudinal braced steel supporting<br>structure;<br>(d) stairways AND walkways AND safety railings;<br>(e) level AND temperature control connections<br>Op. 18.09.19 Dec. date 25.11.19 | 50<br><br>- TC 19279840                       |
| 8412.21.00 POWER ENGINES, hydraulic, linear, single OR double acting<br>telescopic, having BOTH of the following:<br>(a) working pressure NOT less than 150 bar;<br>(b) length NOT less than 1 220 mm,<br>with OR without mounting bracket<br>Op. 11.09.19 Dec. date 25.11.19  | 50<br><br>- TC 19275124                       |
| 8428.90.00 TRACK RAILS, ROBOTIC CAMERA MOUNT, programmable logic<br>controlled, with OR without the following:<br>(a) bolt on pedestal;<br>(b) articulating arm;<br>(c) lens control motor;<br>(d) cables<br>Op. 12.09.19 Dec. date 25.11.19   | 50<br><br>- TC 19276121                       |
| 8439.99.00 PARTS, HEADBOX, being ANY of the following:<br>(a) apron;<br>(b) apron lip<br>Op. 16.09.19 Dec. date 25.11.19   | 50<br><br>- TC 19278600                       |

| Description of Goods including the<br>Customs Tariff Classification   | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
| 8474.10.00 SCREENING PLANT, EARTH AND/OR MINERAL ORE, trailer mounted,<br>including ALL of the following:<br>(a) inclined screen;<br>(b) electric centre;<br>(c) maintenance platforms;<br>(d) hydraulic support legs;<br>(e) screen lifting;<br>(f) chassis;<br>(g) ladders AND/OR stairs;<br>(h) dividing chutes;<br>(i) bogie;<br>(j) hoppers,<br>with OR without ANY of the following:<br>(i) on board electric panel;<br>(ii) canvas dust cover;<br>(iii) landing legs;<br>(iv) king pin;<br>(v) water sprays<br>Op. 17.09.19 Dec. date 25.11.19 | 50<br>5%                                      |
| - TC 19279322   |   |
| 8479.89.90 WINDING MACHINES, having ALL of the following:<br>(a) cutter;<br>(b) hot melt glue applicator;<br>(c) slitter<br>Op. 11.09.19 Dec. date 25.11.19   | 50  |
| - TC 19274177   |   |
| 8479.90.90 GUIDES, LINEAR BRUSH, PARTICLE BOARD BRUSHING MACHINE<br>Op. 20.09.19 Dec. date 25.11.19   | 50  |
| - TC 19282160   |   |

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION  
ORDERS REVOKED**

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification   | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
| 8481.80 FLOW DIVIDERS, inlet to outlet, hydraulic circuit<br>Op. 12.06.84 Dec. date 12.06.84<br><br>Substitutable goods produced in Australia in the ordinary course<br>of business by Oilpath Hydraulics Pty Ltd, Edwardstown, SA.<br>In transit provisions apply  | - TC 8437968 50<br>09.10.19                   |
| 8481.80.90 VALVES, HYDRAULIC DIRECTIONAL CONTROL, having BOTH of the<br>following:<br>(a) pressure NOT greater than 300 bar;<br>(b) flow rate NOT greater than 55 litres/minute<br>Op. 26.10.05 Dec. date 16.01.06<br><br>Substitutable goods produced in Australia in the ordinary course<br>of business by Oilpath Hydraulics Pty Ltd, Edwardstown, SA.<br>In transit provisions apply  | - TC 0514903 50<br>09.10.19                   |
| 8481.80.90 VALVES, DIRECTIONAL PROPORTIONAL, hydraulic control<br>Op. 24.04.06 Dec. date 14.07.06<br><br>Substitutable goods produced in Australia in the ordinary course<br>of business by Oilpath Hydraulics Pty Ltd, Edwardstown, SA.<br>In transit provisions apply   | - TC 0607261 50<br>09.10.19                   |
| 8481.80.90 VALVES, DIRECTIONAL CONTROL, iron and steel composition, fluid<br>power hydraulic, having ALL of the following:<br>(a) solenoid actuated pilot flow;<br>(b) pilot operated spool;<br>(c) flow rate NOT less than 45 l/min;<br>(d) maximum working pressure NOT less than 24.132 MPa<br>Op. 10.12.97 Dec. date 27.02.98<br><br>Substitutable goods produced in Australia in the ordinary course<br>of business by Oilpath Hydraulics Pty Ltd, Edwardstown, SA.<br>In transit provisions apply | - TC 9710922 50<br>09.10.19                   |
| 8481.80.90 VALVES, PROPORTIONAL, hydraulic OR electronic control of spool<br>position<br>Op. 27.07.98 Dec. date 09.10.98<br><br>Substitutable goods produced in Australia in the ordinary course<br>of business by Oilpath Hydraulics Pty Ltd, Edwardstown, SA.<br>In transit provisions apply  | - TC 9806646 50<br>09.10.19                   |

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(1)&amp;(2) - TARIFF CONCESSION ORDER REVOKED AND A NEW TARIFF CONCESSION ORDER MADE

Tariff Concession Order for the goods described in the following TABLE has been revoked and a new Tariff Concession Order has been made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods. In-transit provisions apply

## THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number<br>Last Date of Effect |
|--|---|
|--|---|

## TCO REVOKED

|              |   |                |
|--------------|---|----------------|
| 8481.90.90   | PARTS, VALVES, DIRECTIONAL CONTROL, fluid power hydraulic, being ANY of the following:<br>(a) pistons;<br>(b) valve cones;<br>(c) valve seats;<br>(d) base rings;<br>(e) support rings;<br>(f) scrappers;<br>(g) cartridges;<br>(h) throttles;<br>(i) membranes;<br>(j) rings;<br>(k) guide bushings;<br>(l) indicator glasses;<br>(m) throttle discs;<br>(n) valve sets, comprising plunger and seals;<br>(o) inserts;<br>(p) sleeves;<br>(q) flow control assemblies, comprising integral needle valve and orifice;<br>(r) plungers;<br>(s) bodies;<br>(t) seals;<br>(u) locknuts;<br>(v) protective covers;<br>(w) spring housings;<br>(x) retainer plates;<br>(y) discs;<br>(z) spools;<br>(aa) spool assemblies, comprising spool and seals;<br>(ab) spindle assemblies, comprising spindle and seals;<br>(ac) elements;<br>(ad) lifting rams;<br>(ae) spring plates;<br>(af) valve guides;<br>(ag) piston head plates | 50<br>24.11.19 |
| Op. 10.12.97 | Dec. date 06.03.98  | - TC 9710913   |

Substitutable goods produced in Australia in the ordinary course of business by Oilpath Hydraulics Pty Ltd, Edwardstown, SA.  
In transit provisions apply



| Description of Goods including the<br>Customs Tariff Classification | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
|---|---|

## TCO REISSUED

|  |               |
|--|---------------|
| 8481.90.90 PARTS, VALVES, DIRECTIONAL CONTROL, fluid power hydraulic, being<br>ANY of the following:<br>(a) pistons;<br>(b) valve cones;<br>(c) valve seats;<br>(d) base rings;<br>(e) support rings;<br>(f) scrappers;<br>(g) cartridges;<br>(h) throttles;<br>(i) membranes;<br>(j) rings;<br>(k) guide bushings;<br>(l) indicator glasses;<br>(m) throttle discs;<br>(n) valve sets, comprising plunger and seals;<br>(o) inserts;<br>(p) sleeves;<br>(q) flow control assemblies, comprising integral needle<br>valve and orifice;<br>(r) plungers;<br>(s) seals;<br>(t) locknuts;<br>(u) protective covers;<br>(v) spring housings;<br>(w) retainer plates;<br>(x) discs;<br>(y) spools;<br>(z) spool assemblies, comprising spool and seals;<br>(aa) spindle assemblies, comprising spindle and seals;<br>(ab) elements;<br>(ac) lifting rams;<br>(ad) spring plates;<br>(ae) valve guides;<br>(af) piston head plates<br><br>Op. 10.10.19 | 50            |
| Dec. date 25.11.19   | - TC 19322556 |

**TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 26 December 2019, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 26 December 2019.

Interested parties are invited to provide, by close of business, Tuesday 24 December 2019, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

## THE TABLE

| Tariff Classification | Description   | Concession Number               |
|-----------------------|---|---------------------------------|
| 3204.17               | PIGMENT RED 48:3 C.I. No. 15865:3, but NOT including preparations based thereon   |                                 |
|                       | Op. 06.01.92  | Dec. date 06.04.92 - TC 9200881 |
| 3204.17               | PIGMENT RED 48:1 C.I. No. 15865:1, but NOT including preparations based thereon   |                                 |
|                       | Op. 06.01.92  | Dec. date 06.04.92 - TC 9200883 |
| 3204.19               | DYES, photochromatic, capable of reversible change of colour with changes of temperature or effect of light   |                                 |
|                       | Op. 21.10.91  | Dec. date 10.01.92 - TC 9109287 |
| 3701.10               | FILM, orthochromatic, silver halide sensitised, black and white film only, having ALL of the following:<br>(a) spectral sensitivity which in the range 400 nm through 580 nm has peaks between 400 nm and 450 nm, and between 530 nm and 560 nm;<br>(b) emulsion coated on one side only;<br>(c) polyester base |                                 |
|                       | Op. 02.09.91  | Dec. date 07.01.92 - TC 9107906 |
| 3702.55               | FILM, photographic, silver halide sensitised, colour reversal   |                                 |
|                       | Op. 26.08.91  | Dec. date 11.11.91 - TC 9107726 |
| 3903.11               | EXPANDABLE POLYSTYRENE, having BOTH of the following:<br>(a) bead diameter 0.18 mm to 0.5 mm + or - 5%;<br>(b) minimum expanded density of 35 kg/cu m   |                                 |
|                       | Op. 21.05.92  | Dec. date 17.12.92 - TC 9205060 |
| 3911.90               | POLYETHERIMIDE POLYMERS AND ALLOYS THEREOF, having a glass transition temperature rating of greater than 210 degrees C  |                                 |
|                       | Op. 14.11.91  | Dec. date 07.05.92 - TC 9109979 |

|         |   |              |                    |              |
|---------|---|--------------|--------------------|--------------|
| 3917.39 | TUBING, steam or electrically traced, being EITHER fluorinated ethylene-propylene or perfluoroalkoxy, having ALL of the following:<br>(a) wrapped with heat relective foil;<br>(b) glass fibre thermal insulation;<br>(c) sheathed with extruded polyvinyl chloride;<br>(d) OD NOT exceeding 25.4 mm  | Op. 13.03.92 | Dec. date 09.07.92 | - TC 9203112 |
| 3917.40 | BELLOWS MEMBRANES, polytetrafluoroethylene  | Op. 01.01.88 | Dec. date 25.02.92 | - TC 9201452 |
| 3920.10 | HIGH MOLECULAR WEIGHT POLYETHYLENE SHEET, having ALL of the following:<br>(a) wholly formed by continuous extrusion in its entirety;<br>(b) textured with levant finish on one side;<br>(c) minimum dimensions of 1 800 mm in width and 2 000 mm in length (machine direction) and 6 mm in thickness;<br>(d) containing a minimum 2.5% carbon black and 0.4% ultra violet stabiliser-antioxydants | Op. 10.04.92 | Dec. date 06.08.92 | - TC 9203862 |
| 3924.10 | TIMERS, food cooking, disposable, single use, heat activated  | Op. 16.08.90 | Dec. date 31.05.91 | - TC 9104151 |
| 5211.49 | TAPESTRY PANELS, jacquard machine woven, gobliens style, NOT more than 55 cm in width or length, having a composition of NOT less than 80% cotton   | Op. 29.09.89 | Dec. date 11.04.91 | - TC 9100063 |
| 5911.20 | BOLTING CLOTH, man-made fibre, multifilament, being ANY of the following:<br>(a) 196 x 196 meshes/inch;<br>(b) 128 x 124 meshes/inch;<br>(c) 110 x 106 meshes/inch;<br>(d) 78 x 83 meshes/inch;<br>(e) 70 x 70 meshes/inch  | Op. 19.04.91 | Dec. date 23.10.91 | - TC 9103875 |
| 7325.99 | CONTAINER CORNER CASTINGS, steel, in accordance with specification ISO 1161   | Op. 04.03.92 | Dec. date 03.07.92 | - TC 9202801 |
| 7604.29 | RODS, aluminium master alloy, having a strontium content of 2% or greater, but NOT exceeding 15%, and whether or not containing titanium to a maximum of 5% and whether or not containing boron to a maximum of 2%  | Op. 17.04.91 | Dec. date 15.08.91 | - TC 9103898 |
| 8201.50 | GRASS SHEARS, having BOTH of the following:<br>(a) stainless steel or teflon coated carbon steel blades;<br>(b) blade adjustment allowing blades to swivel to three cutting planes  | Op. 15.04.91 | Dec. date 27.02.92 | - TC 9201382 |
| 8418.30 | FREEZERS, absorption, chest type, domestic, gross internal capacity exceeding 200 L, operated by LP gas only  | Op. 25.01.91 | Dec. date 12.11.91 | - TC 9101685 |

---

|         |  |                    |  |              |
|---------|--|--------------------|--|--------------|
| 8502.20 | GENERATOR SETS, AC, with a rating exceeding 500 kVA, powered by a spark ignition internal combustion piston engine, but NOT including generator sets imported with ANY of the following:<br>(a) engine cooling equipment;<br>(b) exhaust silencing equipment, pipework or structural steelwork;<br>(c) electrical control panels or switchgear except electronic governor and fuel control equipment   |                    |  |              |
|         | Op. 19.03.92   | Dec. date 06.08.92 |  | - TC 9203334 |
| 8536.69 | TERMINAL STRIPS, plug in type, for panel/chassis mounting, 2 to 12 poles, having ALL of the following:<br>(a) moulding made of natural polyamide;<br>(b) temperature limits:<br>(i) short time 140 - 160 degrees C;<br>(ii) continuous 80 - 100 degrees C;<br>(iii) cold resistance minus 40 degrees C;<br>(c) terminal body made of nickel plated brass with spring clips made of stainless steel and screws of zinc plated steel yellow chromated;<br>(d) centre to centre spacing in different models of 8, 10 and 11.5 mm;<br>(e) rated current in different models of 6 A, 16 A and 25 A;<br>(f) rated voltage 380 V to VDE 0110 insulation group B |                    |  |              |
|         | Op. 26.03.91   | Dec. date 28.10.91 |  | - TC 9103138 |
| 8903.99 | WATERCRAFT, ski type, sit on, two stroke engine, direct drive jet pump propelled, two person carrying capacity, tandem seating, step through deck design   |                    |  |              |
|         | Op. 12.09.91   | Dec. date 29.06.92 |  | - TC 9108153 |

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 19/38 dated 2 October 2019.

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

| Description of Goods including the Customs Tariff Classification  | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
| 3920.10.00 GEOMEMBRANES, ethylene vinyl acetate (EVA), having BOTH of the following:<br>(a) thickness NOT less than 675 microns and NOT greater than 825 microns;<br>(b) width NOT less than 2.5 metres<br>Op. 27.09.13 Dec. date 23.12.13 - TC 1332785<br>2 Years non use. In transit provisions apply | 50<br>29.10.19                                |
| 3923.21.00 BAGS, low-density polyethylene (LDPE), having a polyester draw string<br>Op. 29.11.11 Dec. date 16.04.12 - TC 1139615<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19                                |
| 3924.90.00 BABY BATHS, foldable, plastic, having foldable tub middle hinges, with OR without a foldable baby bath support sling<br>Op. 05.08.13 Dec. date 28.10.13 - TC 1326232<br>2 Years non use. In transit provisions apply   | 50<br>29.10.19                                |
| 4401.21.00 WOOD CHIPS, cedar<br>Op. 29.12.11 Dec. date 23.04.12 - TC 1142595<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19                                |
| 4820.30.00 BINDERS, METAL SPLINE, paper size NOT less than A3L<br>Op. 14.12.11 Dec. date 19.03.12 - TC 1141651<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19                                |
| 5907.00.00 SHEETING, DAMP PROOF COURSE, being bituminous, having a hessian base<br>Op. 27.09.12 Dec. date 27.12.12 - TC 1236891<br>2 Years non use. In transit provisions apply   | 50<br>29.10.19                                |
| 6306.90.00 FLY, FLEXIBLE EXTERNAL RIB FRAME TENT<br>Op. 01.01.12 Dec. date 11.01.12 - TC 1200812<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19                                |
| 6307.90.29 WASHBAGS, knitted, having BOTH of the following:<br>(a) NOT less than 60% polyester, remainder cotton;<br>(b) zippered open AND closure<br>Op. 13.01.12 Dec. date 12.04.12 - TC 1201504<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19                                |
| 6307.90.40 PROTECTORS, POT AND/OR PAN<br>Op. 05.09.13 Dec. date 26.11.13 - TC 1330152<br>2 Years non use. In transit provisions apply   | 50<br>29.10.19                                |

| Description of Goods including the<br>Customs Tariff Classification  | Schedule 4 Item Number<br>Last Date of Effect |
|--|---|
| 7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized, zinc coated, in coils, having ALL of the following:<br>(a) yield strength NOT less than 120 MPa and NOT greater than 180 MPa;<br>(b) tensile strength NOT less than 260 MPa and NOT greater than 350 MPa;<br>(c) elongation NOT less than 37%;<br>(d) total coating mass NOT less than 90 g/m <sup>2</sup> ;<br>(e) in ANY of the following sizes:<br>(i) thickness 0.75 mm and width 1 535 mm;<br>(ii) thickness 0.80 mm and width 1 640 mm;<br>(iii) thickness 0.90 mm and width 1 530 mm | 50<br>29.10.19                                |
| For the purposes of this order, tolerances allowable for specification (e) are:  |   |
| (a) thickness +/- 10%<br>(b) width +/- 1%  |   |
| Op. 04.06.13 Dec. date 21.10.13 - TC 1318527   |   |
| 2 Years non use. In transit provisions apply   |   |
| 8202.99.00 BLADES, HOLESAW, tungsten carbide tipped high speed steel<br>Op. 24.09.12 Dec. date 27.12.12  | 50<br>29.10.19                                |
| 2 Years non use. In transit provisions apply   |   |
| 8302.50.00 RACKS AND HOOKS, RETAIL SALE GOODS HOLDING, metal, having a single item releaser AND a multiple item release blocker<br>Op. 31.10.11 Dec. date 23.01.12   | 50<br>29.10.19                                |
| 2 Years non use. In transit provisions apply   |   |
| 8421.21.90 WATER FILTRATION AND BIOLOGICAL TREATMENT MACHINES, including ALL of the following:   | 50<br>29.10.19                                |
| (a) stainless steel baskets;<br>(b) quartz crystal AND activated carbon stainless steel filters;<br>(c) water pumps;<br>(d) chlorine dioxide biological treatment modules;<br>(e) water filtration control panels  |   |
| Op. 18.04.13 Dec. date 15.07.13 - TC 1313229   |   |
| 2 Years non use. In transit provisions apply   |   |
| 8422.19.00 WASHING MACHINES, CATERING TROLLEY, roll-in AND/OR roll-out, programmable logic controlled, having ALL of the following:  | 50<br>29.10.19                                |
| (a) NOT greater than 40 wash cycles per hour;<br>(b) wash compartment width NOT less than 1 070 mm;<br>(c) wash compartment depth NOT less than 1 030 mm;<br>(d) wash compartment height NOT less than 1 850 mm  |   |
| Op. 14.06.13 Dec. date 02.09.13 - TC 1319676   |   |
| 2 Years non use. In transit provisions apply   |   |
| 8431.39.00 PARTS, CONVEYOR BELT MANUFACTURING LINE, being ANY of the following:  | 50<br>29.10.19                                |
| (a) beams AND supports;<br>(b) carriages;<br>(c) inspection platforms  |   |
| Op. 27.07.12 Dec. date 15.10.12 - TC 1227074   |   |
| 2 Years non use. In transit provisions apply   |   |

| Description of Goods including the<br>Customs Tariff Classification  | Schedule 4 Item Number<br>Last Date of Effect      |
|--|--|
| 8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being electronics control systems, including ALL of the following:<br>(a) sensors;<br>(b) switches;<br>(c) electronic signalling module;<br>(d) electronic distance AND angle measuring module<br>Op. 16.08.13 Dec. date 11.11.13<br>2 Years non use. In transit provisions apply   | 50<br>29.10.19<br><br><br><br><br>- TC 1328430     |
| 8438.20.00 AERATING OR DEPOSITING MACHINES, CHOCOLATE, being EITHER of the following:<br>(a) continuous aerators, programmable logic controlled, including mixing head;<br>(b) depositors, programmable logic controlled, having BOTH of the following:<br>(i) output capacity NOT greater than 300 rows/min;<br>(ii) pressurised manifolds<br>Op. 21.03.12 Dec. date 14.03.13<br>2 Years non use. In transit provisions apply | 50<br>29.10.19<br><br><br><br><br>- TC 1309026     |
| 8465.91.00 WOOD SAWING MACHINES, including ALL of the following:<br>(a) NOT less than 2 height adjustable vertical saw arbours;<br>(b) NOT less than 2 saw blades;<br>(c) electric motor<br>Op. 18.11.11 Dec. date 13.02.12<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19<br><br><br>- TC 1138536             |
| 8474.31.00 CEMENT MIXERS, TRAILER MOUNTED, including ALL of the following:<br>(a) diesel powered single pump drive;<br>(b) hydraulic power pack;<br>(c) recirculating mixing system;<br>(d) cement bulk tank;<br>(e) mixing tub dust extractor;<br>(f) hose reel;<br>(g) displacement tanks<br>Op. 21.11.11 Dec. date 06.02.12<br>2 Years non use. In transit provisions apply   | 50<br>29.10.19<br><br><br><br><br><br>- TC 1138712 |
| 8474.90.00 PARTS, CEMENT GRINDING MILL, being diaphragms<br>Op. 27.06.13 Dec. date 05.11.13<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19<br>- TC 1321792                     |
| 8479.89.90 TOOL STRING RELEASERS, OIL AND GAS WELL<br>Op. 04.07.13 Dec. date 23.09.13<br>2 Years non use. In transit provisions apply  | 50<br>29.10.19<br>- TC 1322795                     |
| 8481.80.90 VALVE ASSEMBLIES, SUBSEA OIL AND/OR GAS WELL CONTROL, whether OR not assembled, having a working pressure NOT less than 650 bar, incorporating ALL of the following:<br>(a) actuators;<br>(b) hydraulic valves;<br>(c) connectors;<br>(d) piping;<br>(e) protection frame;<br>(f) swivel<br>Op. 11.05.12 Dec. date 23.07.12<br>2 Years non use. In transit provisions apply   | 50<br>29.10.19<br><br><br><br><br><br>- TC 1215647 |

| Description of Goods including the<br>Customs Tariff Classification |  | Schedule 4 Item Number<br>Last Date of Effect |
|---|--|---|
| 8481.90.90  | PARTS, PRESSURE REGULATOR, aluminium, being ANY of the following:<br>(a) top castings;<br>(b) end cap castings;<br>(c) body castings<br>Op. 22.05.12<br><br>Dec. date 13.08.12<br><br>2 Years non use. In transit provisions apply   | 50<br>29.10.19<br><br>- TC 1217176            |
| 8608.00.00  | DERAILERS, RAIL, powered, with OR without photoelectric detection posts AND/OR wheel detection switches<br>Op. 07.08.12<br><br>Dec. date 29.10.12<br><br>2 Years non use. In transit provisions apply  | 50<br>29.10.19<br><br>- TC 1228694            |
| 8705.90.00  | RAIL MAINTENANCE TRUCKS, including ALL of the following:<br>(a) diesel engine;<br>(b) road AND rail wheels;<br>(c) milling AND grinding machines<br>Op. 19.08.13<br><br>Dec. date 04.11.13<br><br>2 Years non use. In transit provisions apply   | 50<br>29.10.19<br><br>- TC 1328278            |
| 8716.40.00  | TRAILERS, BICYCLE, stroller convertible, having ALL of the following:<br>(a) universal attachment rod;<br>(b) quick release trailer wheels;<br>(c) retractable stroller front wheel;<br>(d) detachable stroller push handle;<br>(e) stroller parking brake<br>Op. 31.10.12<br><br>Dec. date 21.01.13<br><br>2 Years non use. In transit provisions apply | 50<br>29.10.19<br><br>- TC 1241613            |