

Commonwealth of Australia

Gazette

No. TC20/01, Wednesday, 8 January 2020 Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

| TCO Applications | 2 |
|---|---|
| TCO Applications Reworded | 6 |
| TCOs Made | 7 |
| Intention to Revoke TCOs not used in over 2 years | 8 |
| TCOs Revoked - Unused for over 2 years | 9 |

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at: https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

| Contact details: | |
|--------------------------|-------------------|
| General Email Inquiries: | tarcon@abf.gov.au |
| General Inquiries: | (02) 6229 3567 |
| TAPIN help desk: | (02) 6275 6534 |
| | |

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2020

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order

Contact: Email tarcon@abf.gov.au

| | of Goods including the ff Classification | Schedule 4 I General I | tem Number Duty Rate |
|------------|--|---------------------------|-------------------------|
| 3808.99.00 | RODENTICIDES, having a basis of difethialone Op. 12.12.19 | - TC 19334634 | 50 |
| | Stated Use: Extermination of rodents | | |
| | Applicant: DE SANGOSSE AUSTRALIA PTY LTD | | 5% |
| 3917.40.00 | <pre>COUPLERS AND/OR FITTING KITS, being EITHER of the following: (a) collet kits, including BOTH of the following: (i) glass filled nylon AND/OR stainless steel collets; (ii) seals AND/OR O-rings AND/OR washers, (b) female couplers, including ALL of the following: (i) polysulphone bodies AND/OR caps; (ii) glass filled nylon AND/OR stainless steel collets; (iii) seals AND/OR O-rings (iii) seals AND/OR O-rings (iii) seals AND/OR O-rings </pre> | | 50 |
| | Op. 09.12.19 | - TC 19332233 | |
| | Stated Use: For connecting components of hot or cold potable water installations | | |
| | Applicant: RELIANCE WORLDWIDE CORPORATION (AUST) PTY LTD | | 5% |
| 8414.59.90 | <pre>FANS, recirculating AND/OR radial, having ANY one OR more of the following: (a) mounts AND/OR mounting bases; (b) operating speed NOT greater than 1 451 RPM; (c) impeller diameter NOT greater than 991 mm; (d) fan unit height NOT greater than 1 926 mm Op. 11.12.19</pre> | - TC 19334070 | 50 |
| | Stated Use: For removing moisture from french fries in a food processing plant | | |
| | Applicant: MCCAIN FOODS (AUST) PTY LTD | | 5% |

| | of Goods including the ff Classification | Schedule 4 Item Numbe General Duty Rate |
|------------|--|--|
| 8419.89.90 | COOLANT SUPPLY CART, POLYALPHAOLEFIN, AIRCRAFT, electric Op. 09.12.19 | 50 - TC 19331676 |
| | Stated Use: Cart that provides cooling for avionics equipment | |
| | Applicant: LOCKHEED MARTIN AUSTRALIA PTY LTD | 5% |
| 3428.90.00 | <pre>SILO DISCHARGER, BULK SOLIDS, having ALL of the following functions: (a) loosening; (b) discharging; (c) dosing; (d) locking </pre> | 50 |
| | Op. 03.12.19 | - TC 19328675 |
| | Stated Use: Discharge bulk solids from silo | |
| | Applicant: MARS AUSTRALIA PTY LTD | 5% |
| 428.90.00 | MOVING FLOOR CONVEYORS, including BOTH of the following: (a) rear cylinder mounting plates; | 50 |
| | (b) discharge hopper sensors Op. 05.12.19 | - TC 19329976 |
| | Stated Use: Movement of bulk wet wood dust during particle board and/or medium density fibreboard production operations | |
| | Applicant: BORG MANUFACTURING PTY LTD | 5% |
| 428.90.00 | LIFTING MODULE, LINE REPLACEMENT COMPONENTS, AIRCRAFT, hydraulically operated, having a lifting capacity NOT greater than 160 kg | 50 |
| | Op. 09.12.19 | - TC 19331691 |
| | Stated Use: To remove and replace airframe components | |
| | Applicant: LOCKHEED MARTIN AUSTRALIA PTY LTD | 5% |
| 428.90.00 | CONCRETE BLOCK CUBING LINE, clamped gantry, including ALL of the following: (a) stacking AND/OR de-stacking frames; (b) travelling trolleys; (c) four sided clamps; (d) layer rotators AND/OR turners; (e) fall arrestors, with OR without EITHER of the following: | 50 |
| | (i) maintenance platform;(ii) vacuum suction platesOp. 12.12.19 | - TC 19334079 |
| | Stated Use: For stacking, de-stacking and orientating layers of concrete products into cubes | |
| | | 50 |

Applicant: BRICKWORKS BUILDING PRODUCTS PTY LTD

5%

| | of Goods including the ff Classification | | Item Number Duty Rate |
|------------|--|---------------|--------------------------|
| 8430.50.00 | <pre>SCALERS, UNDERGROUND MINING AND TUNNELLING, self propelled, with OR without scaling picks, having ALL of the following: (a) 4 wheel drive diesel carriers; (b) telescopic scaling booms, having BOTH of the following: (i) vertical reach NOT greater than 11.5 metres; (ii) horizontal reach NOT greater than 15.5 metres, (c) hydraulic hammers AND turntable push plate Op. 04.12.19</pre> | - TC 19329552 | 50 |
| | Stated Use: For removing extraneous materials from tunnels and mines after the principal extraction has taken place | | |
| | Applicant: NORMET ASIA PACIFIC PTY LTD | | 5% |
| 8479.89.90 | <pre>FIRING HEADS, PERFORATING GUN, OIL AND/OR GAS WELL, whether OR not assembled, including ALL of the following: (a) shear pins; (b) pistons; (c) arming sleeve AND/OR release sleeve; (d) flow restrictors; (e) locking balls; (f) firing pin, with OR without EITHER of the following:</pre> | | 50 |
| | Op. 05.12.19 | - TC 19330477 | |
| | Stated Use: For detonating charges in downhole perforating tools during oil and gas production | | |
| | Applicant: SCHLUMBERGER AUSTRALIA PTY LTD | | 5% |
| 8479.89.90 | <pre>ANCHOR TOOL ASSEMBLIES, OIL AND/OR GAS WELL PERFORATING GUN, downhole, whether OR NOT assembled, including ALL of the following: (a) gauge rings; (b) housing; (c) anchoring slips; (d) gun adaptor</pre> | | 50 |
| | Op. 06.12.19 | - TC 19330484 | |
| | Stated Use: For anchoring high shot density perforating gun strings in oil and gas wells | | |
| | Applicant: SCHLUMBERGER AUSTRALIA PTY LTD | | 5% |
| 8501.10.00 | ELECTRIC MOTORS, including ALL of the following: (a) body AND/OR housing having an outside diameter NOT greater than 43 mm; (b) one OR more worm gears; (c) rated voltage NOT greater than 48 V DC; (d) rated power input NOT greater than 38 W | | 50 |
| | Op. 27.11.19 | - TC 19324802 | |
| | Stated Use: As parts for the manufacturing of automated machines | | |
| | Applicant: MAXON MOTOR AUSTRALIA PTY LTD | | 5% |

| - | of Goods including the ff Classification | Schedule 4 Item Number General Duty Rate |
|------------|--|---|
| 8531.10.99 | DETECTOR ALARMS, being ANY of the following: (a) carbon monoxide; (b) heat; (c) heat AND carbon monoxide; (d) heat AND smoke Op. 02.12.19 | - тс 19327533 |
| | Stated Use: Warning detectors and alarms | |

Applicant: BROOKS AUSTRALIA PTY LTD

5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 2691(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

| 4010.12.00 | BELTS, TEXTILE REINFORCED, having ALL of the following: (a) tensile strength NOT less than 1 200 N/mm; (b) width NOT less than 1 600 mm; (c) weight NOT less than 33 kg/m; (d) thickness NOT less than 16 mm; (e) length NOT exceeding 125 m; (f) NOT less than two and NOT greater than five cross-stabilised textile plies; (g) top cover thickness NOT less than 4 mm; | | 50 |
|------------|--|---------------|----|
| | (h) sidewall height NOT less than 400 mm Op. 27.09.19 | - TC 19286255 | |
| | Stated Use: Material handling of wood chips in particle board plants | | |

Applicant: BORG MANUFACTURING PTY LTD

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

| - | of Goods including the ff Classification | | Schedule 4 Ite Last Date of | |
|------------|---|---------------------------------|--------------------------------|----|
| 8428.90.00 | COILED TUBING UNIT, skid mounte including ALL of the following: (a) hydraulic power pack; (b) injector unit; (c) coil reel unit; (d) counter head unit; (e) control cabin | | - TC 19282162 | 50 |
| | Op. 20.09.19 | Dec. date 19.12.19 | - 10 19282162 | |
| 8479.89.90 | COIL TUBING REEL, skid mounted, (a) roller bearings; (b) chain AND sprocket unit; (c) hydraulic motor | including ALL of the following: | | 50 |
| | Op. 26.09.19 | Dec. date 20.12.19 | - TC 19285329 | |

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 6 February 2020, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 6 February 2020.

Interested parties are invited to provide, by close of business, Wednesday 5 February 2020, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

| Tariff Classification | Description | | Concession Number |
|--------------------------|---|---|--|
| 3204.17.00 | PIGMENT, synthetic, org thereon, being pigment | ganic, but NOT including prepa orange 71 | rations based |
| | Op. 13.06.94 | Dec. date 16.09.94 | - TC 9405142 |
| 3402.90.00 | SURFACE ACTIVE PREPARAT phosphinic and phosphor | CIONS, with a basis of mixed p lic acids | erfluorinated |
| | Op. 27.07.94 | Dec. date 07.11.94 | - TC 9406350 |
| 3901.30 | (a) vinyl acetate con 15.5%; (b) melt index of 0.7 3.5g/10 minutes con | COPOLYMER, having ALL of the itent of 12.5% or greater but 25g/10 minutes OR greater but calculated in accordance with grams/cu cm or greater but NOT | NOT exceeding NOT exceeding ASTM D1238/70; |
| | Op. 19.08.94 | Dec. date 19.08.94 | - TC 9405863 |
| 3926.90.90 | REPLICA DISPLAY PRODUCT | S, being non-working models o | f telephones |
| | Op. 17.06.94 | Dec. date 23.09.94 | - TC 9405230 |
| 3926.90.90 | | ng, tubing OR drill pipe, pol wade of non-sparking and non-c | - |
| | Op. 20.06.94 | Dec. date 23.09.94 | - TC 9405273 |
| 6307.90.40 | comprised of synthetic (a) acrylic copolymer (b) china clay abrasi | a handle and cleaning head. fibre mixed with EITHER: resin, OR ve laminated onto CFC free sp and able to store and dispens | onge. The handle being |
| | Op. 04.07.94 | Dec. date 02.11.94 | - TC 9405469 |
| 7228.30.10 | BARS, round, alloy stee | el, conforming to BS1506 (1990 |) Grade 681-820 |
| | Op. 25.07.94 | Dec. date 04.11.94 | - TC 9406340 |

| 7306.50.00 | TUBES, ERW, aluminised, type (a) 12.7 mm OD; (b) 1.6 mm WT; (c) 5 700 mm mill length | e JIS G3445, having ALL of the | following: |
|------------|--|---|--------------|
| | Op. 14.04.94 | Dec. date 29.07.94 | - TC 9404172 |
| 7607.19.00 | | erial, comprising 7 000 series alloy consisting of magnesium a | |
| | Op. 13.07.94 | Dec. date 21.10.94 | - TC 9406142 |
| 8412.29.00 | (i) 10 MPa (1 500 g (ii) 13 MPa (2 000 g (b) an integral mechanical | ressure of EITHER of the follow psi) at 3 000 r/min; psi) at 3 600 r/min; | - |
| | Op. 22.04.94 | Dec. date 08.08.94 | - TC 9404338 |
| 8465.91.00 | (b) dual chain feed; (c) adjustable arched infe (d) pressure rollers with (e) timber feeding speed of | Lade diameter NOT exceeding 410 eed races; dual springs; of 18.3 m per minute; as 3.175 mm and maximum not exc ollowing: saw cut; saw cut; and | |
| | Op. 10.06.94 | Dec. date 04.11.94 | - TC 9405090 |
| 8477.80.00 | | converting type, interchangeab owered, electrically activated | le ball |
| | Op. 14.04.94 | Dec. date 08.08.94 | - TC 9404159 |
| 8716.90.00 | CLAMPING PLATE, wheel | | |
| | Op. 06.04.94 | Dec. date 08.07.94 | - TC 9404006 |

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC19/42 dated 30 October 2019.

Contact: Email <u>tarcon@abf.gov.au</u>

| Description of Goods including the Customs Tariff Classification | | | | Item Number e of Effect |
|---|---|---|--------------|----------------------------|
| 3816.00.00 | <pre>MORTARS, REFRACTORY, having ALL ((a) magnesium oxide content NO? than 71%; (b) silicon dioxide content NOT (c) iron oxide content NOT grea (d) calcium oxide content NOT than 29%; (e) aluminium oxide content NO? Op. 13.07.16 2 Years non use. In transit prov: </pre> | I less than 64% and NOT greater F greater than 2%; ater than 5.5%; less than 23% and NOT greater F greater than 1.5% Dec. date 10.10.16 | - TC 1633879 | 50 26.11.19 |
| 8428.90.00 | <pre>TILT TRAY SORTING MACHINES, PARCH logic controlled, including ALL of (a) linear motor driven carriag trays; (b) tilting trays with OR withon (i) rotation; (ii) retractable sidewal (iii) leading AND/OR tras (c) sorter frames having guide following: (i) sidewalls; (ii) mechanical brakes, (d) induction stations with OR (i) weighing scales; (ii) bar code readers, (e) discharge rails; (f) photocells; (g) tray tippers AND/OR re-set (h) proximity switches; (i) computer human machine inte software with OR without discharge chutes access covers Op. 21.07.16</pre> | of the following: ges having one OR more tilting out ANY of the following: lls; iling edges, rails with OR without ANY of the without ANY of the following: ters; erface (HMI) with OR without AND/OR safety covers AND/OR | - TC 1635934 | 50 26.11.19 |
| 8428.90.00 | <pre>2 Years non use. In transit prov: LAUNDERS, FURNACE SLAG AND/OR BUI unit, consisting of at least two (a) tilting launder; (b) stilling launder; (c) cleanout launder; (d) main launder, including ALL of the following:</pre> | LLION, including hydraulic power of the following: unit; Dec. date 24.10.16 | - TC 1637514 | 50 26.11.19 |

| | of Goods including the If Classification | | Item Number e of Effect |
|------------|--|--------------|----------------------------|
| 8430.41.00 | | - TC 1644700 | 50 26.11.19 |
| 8436.29.00 | <pre>2 Years non use. In transit provisions apply POULTRY SYSTEM, unassembled, including ALL of the following: (a) control system; (b) motors; (c) lighting, doors, panels, platforms, partitions, sections AND supports; (d) drinking lines with nipples; (e) tilting floor egg laying nests; (f) egg collection and transport system including collector belts AND conveyors; (g) elevators; (h) feeding system including feed bins AND flex augers AND troughs; (i) manure collection system including belt conveyor; (j) perches; (k) ventilation system having ALL of the following: (i) fans AND roof chimneys; (ii) evaporative cooler; (iii) fogging cooler with pump AND nozzle; (iv) side wall air inlets; (v) wire-mesh slats Op. 13.07.16 Dec. date 10.10.16</pre> | - TC 1633884 | 50 26.11.19 |
| 8436.80.90 | <pre>2 Years non use. In transit provisions apply MUSHROOM BED HEAD FILLING MACHINES, with OR without ANY of the following: (a) compost levelling machine; (b) speed controller; (c) remote controller; (d) water line sensor; (e) height adjuster; (f) compost spreading frequency controller; (g) weigher; (h) compost hopper; (i) conveyors; (j) pulling winch; (k) nets Op. 01.08.16 Dec. date 24.10.16</pre> | - TC 1638534 | 50 26.11.19 |
| 8479.89.90 | <pre>2 Years non use. In transit provisions apply INSULATION BOARD PRODUCTION LINE, including ALL of the following: (a) unwinders; (b) pouring table with a vacuum extractor; (c) double belt conveyor; (d) conditioning heated conveyor; (e) safety system, having ALL of the following:</pre> | - TC 1646110 | 50 26.11.19 |

Description of Goods including the Customs Tariff Classification Schedule 4 Item Number Last Date of Effect

| 8704.22.00 | 4.22.00 TRUCKS, TIPPER, having ALL the following: (a) compression ignition engine; (b) four wheel drive; (c) cooling rig mounted above chassis; (d) gross vehicle weight exceeding 17.9 t but NOT | | | 50 26.11.19 |
|------------|---|--------------------|--------------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | exceeding 20 t | | | |
| | Op. 07.07.16 | Dec. date 07.11.16 | - TC 1632491 | |
| | | | | |

2 Years non use. In transit provisions apply